



Total Electrical

Solutions

Started in 1958, Finolex Cables Limited is India's largest and leading electrical and telecommunication cables manufacturer. Finolex Cables has always believed in enhancing capabilities and augmenting the product basket. In last few years, besides the cable business the company has forayed into new segments and added new products under the Finolex brand.

The company offers Total Electrical Solutions with products like Electrical Wires, 3 Core Flat Cables, Communication Cables, Telecommunication Cables, Flexible Cables, Auto Cables, Copper Rods, CFLs, LED Lighting Range, Electrical Switches, Switchgears, Fans and Electric Water Heater range. Finolex Cables Limited has four manufacturing facilities viz. at Pimpri (Pune), Urse (near Pune), Verna (Goa) and Roorkee (Uttarakhand).

Finolex

Fans

Finolex comes with unique and exclusive range of Ceiling, Table, Pedestal, Wall, Exhaust and Multipurpose fans. The Finolex fans range offers unique and unprecedented aesthetics and value for money performance which is the result of our in-house engineering expertise. Finolex Ceiling Fans are available in a variety of designs and sizes from 600 mm to 1400 mm that cater to varied consumer needs-from Premium ceiling fans that can add up to the aura of any living room to the plain and simple workhorses. The Finolex Ceiling fans range is classified in three segments "Premium", "Decorative" and "Smart". The Premium series of fans are niche products. The decorative series has simple and subtle models that are both modern and futuristic. Smart series has standard and economy fans which are functional and simple. The ceiling fan range boasts of unmatched performance.

Finolex Table, Pedestal and Wall fans are available in high speed and normal speed motors. Table and Pedestal have sturdy and elegant bases and are available in 400 mm. Wall fans have double strings for easy speed and swing selection and along with 400 mm they are also available in 300 mm. The Exhaust fans range has many options to choose from for usage in washrooms, kitchens, offices and commercial establishments. The range includes light duty, heavy duty and high speed fans. The metal series has bird guards whereas the fresh air series comes with automatic louver shutters. The range includes options in 100 to 600 mm. Finolex Delight: The entire Fans range is backed by a nationwide on location after sales service set-up with a dedicated customer care toll free number that brings service right to the customers door step.

CONTENTS



Finolex

Ceiling **TPW Exhaust Premium** Table Fans & **Exhaust Fans** Collection Wall Pedestal Fans 05-10 25-32 Wiggle ES Boomerang-NXG HS Flyneto Premium ES Boomerang-NXG NS Smasher Boomerang LED Light Krayer-HS Krayer-NS Boomerang **Hummingbird Plus Decorative** Hummingbird **Domestic** Collection 11-15 Torrence Farrata **Metal Fans** Brinley 1S Barney HS Krayer Barney NS Krayer Metallic Torrence Deco 1S Industrial **Metal Fans Economical** Collection 16-20 Gladiator ES Ecosport **Ecosport Deco**

Torrence 1S Torrence

35-39

Smasher CoAxial Plus Smasher CoAxial Smasher Nuvo Finfresh Axial Nuvo

40-41

42

HD Exhaust Nuvo





- Stylish blades and aerodynamic design
- Elegant looks with stunning colour combination
- Optimum blade angle for superior air thrust
- Faster air delivery
- Robust motor for superior performance









Birkin Copper

Specifications

Sweep (mm) – 1200	Power input (watts) – 32
Speed (RPM) - 350	Air delivery (CMM) – 210

Finolex













Specifications	
Sweep (mm) - 1200	Power input (watts) - 32
Speed (RPM) – 350	Air delivery (CMM) – 210





• Stylish blades and rust-free body

- Aerodynamic design
- Optimum blade angle for superior air thrust
- Classic looks to match premium decor
- Remote control operation









Finolex

Specifications

Sweep (mm) - 1200	Power input (watts) – 45
Speed (RPM) - 280	Air delivery (CMM) – 225

White



- Optimum blade angle for superior air thrust
- Silent operation
- Robust motor for superior performance









Sweep (mm) - 1200	Power input (watts) – 45
Speed (RPM) – 280	Air delivery (CMM) - 225





Brinley 1S

- Energy-efficient fan
- Superior glossy paint finish
- Sturdy look
- Robust aluminium body and blades
- Optimum blade angle for superior air thrust
- Efficient air delivery







Sweep (mm) - 1200	Power input (watts) – 52
Speed (RPM) - 380	Air delivery (CMM) - 210









Colour Options



Krayer

- Available in matte and glossy paint finishes
- Powerful high-speed motor
- Attractive dual-colour trim
- Superior air delivery with extensive circulation



Finolex

	Sweep (mm) - 1200	Power input (watts) – 52
	Speed (RPM) – 350	Air delivery (CMM) - 210
	Sweep (mm) - 900	Power input (watts) – 45
	Speed (RPM) – 440	Air delivery (CMM) - 140



















Specifications	
Sweep (mm) - 1200	Power input (watts) – 52
Speed (RPM) – 350	Air delivery (CMM) - 210
Sweep (mm) - 900	Power input (watts) – 45
Speed (RPM) - 440	Air delivery (CMM) - 140





- Elegant design ring and blade trims that complement your interiors
- Sleek design
- Elegant look
- Strong ribbed blades
- Optimum blade angle for superior air thrust
- High-speed







Sweep (mm) - 1200	Power input (watts) - 52
Speed (RPM) - 380	Air delivery (CMM) – 210



Finolex

Gladiator ES

- Powerful high-speed motor
- Wider blade tips for better airflow
- Aerodynamic design for noiseless wind operations
- Sturdy build for prolonged usage







Sweep (mm) - 1200	Power input (watts) – 32
Speed (RPM) - 350	Air delivery (CMM) - 210





Ecosport

- Powerful high-speed motor
- Aerodynamic design for better air dispersion
- Low power consumption
- Sturdy build for prolonged wind operations



Specifications

- - - - - - - - - -	
Sweep (mm) - 1200	Power input (watts) – 52
Speed (RPM) – 380	Air delivery (CMM) – 210
Sweep (mm) - 900	Power input (watts) – 45
Speed (RPM) - 440	Air delivery (CMM) – 140



ROBUST MOTOR







• Powerful high-speed motor

• Sturdy blades for faster air delivery









Sweep (mm) - 1200 Power input (watts) – 52 Speed (RPM) - 380 Air delivery (CMM) - 210






- Powerful high-speed motor
- State-of-the-art aerodynamic design for better air dispersion
- Sturdy and robust build for continuous operations







	Sweep (mm) – 1200	Power input (watts) - 52
	Speed (RPM) - 380	Air delivery (CMM) – 210
	Sweep (mm) - 900	Power input (watts) - 45
	Speed (RPM) - 440	Air delivery (CMM) - 140









Finolex

Torrence

- The small wonder with a big heart
- High-speed motor for maximum air circulation
 Four aerodynamic blades for better airflow





Sweep (mm) - 600	Power input (watts) – 65
Speed (RPM) - 850	Air delivery (CMM) – 115








New Collection

For The Upcoming Season









TPW COLLECTION

__

- ✓ Table
- ✓ Wall
- Pedestal

Boomerang-NXG HS

Attractive colour combinations

 Aerodynamically designed and balanced PP blades

• Jerk-free oscillation and smooth spin operations

Elegantly designed switchbox





Specifications

Sweep (mm) - 400


Power input (watts) - 120

Speed (RPM) - 2200

Air delivery (CMM) - 100







Boomerang-NXG NS

• Aerodynamically designed and balanced PP blades

• Jerk-free oscillation and smooth running

• Attractive colour combinations

• Elegantly designed switchbox





Specifications

Sweep (mm) - 400

Power input (watts) - 55

Speed (RPM) - 1300

Air delivery (CMM) - 85







Krayer-HS

- Aerodynamically designed blades for better airflow
- Powerful high-speed motor
- Stylish look
- Strong and sturdy base for jerk-free operations
- Pull-cord for controlling fan speed and oscillation





Specifications

Sweep (mm) - 300	Power input (watts) - 65
Speed (RPM) - 2300	Air delivery (CMM) – 65
Sweep (mm) - 400	Power input (watts) - 120
Speed (RPM) - 2100	Air delivery (CMM) - 100

COLOUR White



Krayer-NS

- Aerodynamically designed blades
- Faster and better air circulation
- Elegantly designed switchbox





Specifications

 $\frac{\text{Sweep (mm)} - 400}{\text{Speed (RPM)} - 1300} \qquad \frac{\text{Power input (watts)} - 55}{\text{Air delivery (CMM)} - 85}$

COLOUR White



Hummingbird Plus

- Multipurpose fan that can be used on tables and walls
- Aerodynamically designed blades for maximum air delivery
- Ideal for small cabins, offices and homes
- Faster air circulation





Specifications

Sweep (mm) - 230	Power input (watts) - 45
Speed (RPM) - 2500	Air delivery (CMM) – 26

COLOUR Blue



Finolex

Hummingbird

- Multipurpose fan that can be used on tables and walls
- Aerodynamically designed blades for maximum air delivery
- Ideal for small cabins, offices and homes






Specifications

Sweep (mm) - 300	Power input (watts) - 80
Speed (RPM) - 2200	Air delivery (CMM) – 85

COLOUR Grey







Torrence Farrata

- Unique aerodynamic design with
 3 leaf metal blades for excellent air delivery
- Powerful energy-efficient heavy duty motor
- Robust and heavy base





Specifications

Sweep (mm) – 500 Power input (watts) – 150

Speed (RPM) – 1400 Air delivery (CMH) – 135

COLOUR Black





EXHAUST COLLECTION

Smasher CoAxial Plus

- Modern and trendy design with a stylish grill
- Silent operation
- Extensive air venting and circulation





Specifications

Sweep (mm) – 150 Power input (watts) – 20
Speed (RPM) – 2000 Air delivery (CMH) – 275

COLOUR Mist Gold Silver





Smasher CoAxial

- Modern and trendy design with a stylish grill
- Silent operation
- Extensive air venting and circulation





Specifications

Sweep (mm) – 150 Power input (watts) – 20
Speed (RPM) – 2000 Air delivery (CMH) – 275

COLOUR White Bianco



Smasher

- Modern and trendy design with a stylish grill
- Silent operation
- Extensive air venting and circulation





Sweep (mm) - 150	Power input (watts) – 25
Speed (RPM) – 1300	Air delivery (CMH) – 275
Sweep (mm) - 200	Power input (watts) - 30
Speed (RPM) – 1300	Air delivery (CMH) - 450
Sweep (mm) - 250	Power input (watts) - 35
Speed (RPM) - 1200	Air delivery (CMH) - 900







Smasher Nuvo

- Modern and trendy design with a stylish grill
- Silent operation
- Extensive air venting and circulation





Sweep (mm) - 150	Power input (watts) – 25
Speed (RPM) - 1400	Air delivery (CMH) – 275
Sweep (mm) - 200	Power input (watts) - 30
Speed (RPM) - 1300	Air delivery (CMH) – 450





Finfresh Axial Nuvo

- Easy installation on glass, windows & wood panels
- Modern and trendy design
- High quality plastic





Sweep (mm) - 100	Power input (watts) – 12
Speed (RPM) - 2400	Air delivery (CMH) – 140
Sweep (mm) - 150	Power input (watts) – 20
Speed (RPM) - 1750	Air delivery (CMH) – 275





Finolex

Barney HS

- Specially designed metal blade for faster airflow
- Sleek and stylish domestic exhaust
- Efficient air delivery
- Extra powerful motor
- Silent operation









Specifications

Sweep (mm) - 150	Power input (watts) - 55
Speed (RPM) - 2600	Air delivery (CMH) – 700
Sweep (mm) - 230	Power input (watts) – 65
Speed (RPM) - 2400	Air delivery (CMH) – 950

COLOUR Metallic Grey

Barney NS

- Specially designed metal blade for faster airflow
- Sleek and stylish domestic exhaust
- Efficient air delivery
- Silent operation



Sweep (mm) - 230	Power input (watts) - 30
Speed (RPM) - 1400	Air delivery (CMH) - 650
Sweep (mm) - 300	Power input (watts) – 45
Speed (RPM) - 1350	Air delivery (CMH) – 1100







HD Exhaust Nuvo

- Higher air thrust
- Double ball-bearing
- Smooth and silent operation
- Copper winding and powerful motor
- Robust heavy metal body and blades
- Powder-coated premium finish





Sweep (mm) - 300	Power input (watts) – 90
Speed (RPM) – 1400	Air delivery (CMH) - 1710
Sweep (mm) - 380	Power input (watts) – 160
Speed (RPM) - 1400	Air delivery (CMH) – 3250
Sweep (mm) - 450	Power input (watts) - 410
Speed (RPM) - 1400	Air delivery (CMH) - 6120
Speed (RPM) – 1400 Sweep (mm) – 600	Air delivery (CMH) – 6120 Power input (watts) – 550









26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India. Tel: 020-27506200 | Visit us at: www.finolex.com | Email: sales@finolex.com | CIN: L31300MH1967PLC016531







FOR TECHNICAL LITERATURE PLEASE CONTACT OUR BRANCH OFFICES: Ahmedabad: Tel: 079-26584637 / 26575639 | Bengaluru: Tel: 9845278680 | Bhubaneswar: Tel: 0674-2971188, 2971922 | Chennai : Tel: 044-28231514/28284141 | Chandigarh : Tel: 9316064670 | Cochin : Tel: 9880088155 | Coimbatore : Tel: 0422-2330997 | Dharwad : Tel: 9880088155 | Goa : Tel: 0832-2782003 / 2782065 | Gurgaon : Tel: 9896763770 | Guwahati : Tel: 9435324398 | Indore : Tel: 7314911723 | Jaipur : Tel: 9929111411 | Kolkata : Tel: 0522-4035031 | Lucknow : Tel: 9560299393 | Mumbai : Tel: 022 - 22820062 | New Delhi : Tel: 9870170171 | Patna : Tel: 9934107999 | Pune : Tel: 020 - 27506200 | Raipur : Tel: 7008336581 | Ranchi : Tel: 8101383841 | Secunderabad : Tel: 9934107999 | Pune : Tel: 020 - 27506200 | Raipur : Tel: 7008336581 | Ranchi : Tel: 8101383841 | Secunderabad : Tel: 9934107999 | Pune : Tel: 993410799 | Pune : Tel: 99341079 | Pune : T 040 - 27811161 | Uttarakhand : Tel: 9760045003 | Vadodara : Tel: 9879555568 | Vijayawada : Tel: 9848043967

ALL INFORMATION GIVEN HEREIN IS IN GOOD FAITH. FINOLEX SHALL NOT BE LIABLE FOR ANY DAMAGES ARISING OUT OF INCORRECT USE OR INTERPRETATION. In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.

The product illustrated on this carton may vary slightly from the actual product owing to continued product improvements.